



RECARTUCHOS
AV 5A NTE # 24N-41 - CALI - VALLE
TEL: 3809026

Orden: 6225 Fecha Creación: 2021-08-19

CLIENTE

Nombre: PERAFAN BONILLA
Telefono: 3163074491

Direccion: CARRERA 62A 9D87
Email: almacen@perafanbonilla.com.co

NOTA: A PARTIR DE LA FECHA DE CREADA LA ORDEN, IMPRESORA QUE NO SEA RECLAMADA SE CONSIDERA EN ABANDONO

EQUIPO

Tipo Equipo:	Impresora
Equipo:	IMPRESORA KYOCERA 1025
Marca:	KYOCERA
Modelo:	1025
Serie:	LD53700338
Falla:	NO IMPRIME DESDE LA RED
Accesorios:	SIN CABLES, CON CARTUCHO VACIO
Repuestos:	-ABONO 35000 PESOS
Mano de Obra:	-
Tecnico Asignado:	Cesar Gutierrez
Fecha de Entrega Prometida:	-
Notas Tecnicas:	PRNDIENTE
Informe Final:	PENDIENTE
Observaciones:	-

Firma

Aclaracion

Status Page

FS-1025MFP

[LD55201427]

Firmware Version 2M6_2000.005.002 05.15.201

[2M4_1000.007.001] [2M5_7000.001.005]

[2M4_1100.001.012]

Paper Settings

Cassette & Manual Feed Tray
Size: Letter
Type: Plain

Counters

Printed Pages: 39585
Scanned Pages: 17124

Device Common Settings

Network: Enabled
USB Cable: Disabled
Error Clear Timer: 30 Seconds
Sleep Timer: 1 Minutes
Power Off Timer: 1 hour
Form Feed Time Out: 300 Seconds

Print Coverage 3.03%
(A4/Letter Conversion)

Toner Remaining 10%

Panel Settings

Auto Panel Reset: Enabled
Auto Panel Reset Timer: 90 Seconds
Language: Spanish
Default Screen: Copy

Network

LAN Interface
Setting: Auto
Current: 100Base-Full
TCP/IP
Status: Enabled
Printer Host Name: KM0E32CF
IPv4
DHCPv4 Status: Enabled
IP Address: 192.168.0.14
Subnet Mask: 255.255.255.0
Default Gateway: 192.168.0.1

Copy Settings

Density: 0
Quality: Text+Photo
Collate: Disabled
EcoPrint: Disabled

Network Status Page

FS-1025MFP

[LD55201427]

Firmware Version 2M6_2000.005.002 05.15.201

[2M4_1000.007.001] [2M5_7000.001.005]
[2M4_1100.001.012]

Network Detail

MAC Address: 00:17:C8:0E:32:CF

LAN Interface

Setting: Auto

Current: 100Base-Full

Raw Port

Status: Enabled

LPD

Status: Enabled

WSD-PRINT

Status: Enabled

TCP/IP

Status: Enabled

Printer Host Name: KM0E32CF

IPv4:

DHCPv4 Status: Enabled

IP Address: 192.168.0.104 ✓

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.0.1

Microsoft Windows [Versión 10.0.19042.1165]
(c) Microsoft Corporation. Todos los derechos reservados.

[illegible]